



Certificate of Analysis

Compliance Test

Client Information:

Proper Rhino Packaging
2649 E Mulberry Unit 11
Fort Collins, Colorado 80526

Batch # 241002A
Batch Date: 2024-10-04
Extracted From: N/A

Test Reg State: Colorado

Order # PRO241004-020001
Order Date: 2024-10-04
Sample # AAGA211

Sampling Date: 2024-10-13
Lab Batch Date: 2024-10-13
Orig. Completion Date: 2024-10-18

Initial Gross Weight: 155.698 g

Number of Units: 2
Net Weight per Unit: 60000.000 mg

Statement of Amendment: Updated Net Weight



**Potency
Tested**



**Pathogenic
Passed**



**Microbiology Petrifilm
Passed**

Product Image



Potency 10

Specimen Weight: 506.300 mg

Tested


SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBD	50.000	5.40E-5	0.015	9.900	0.990
CBC	50.000	1.80E-5	0.015	0.730	0.073
CBN	50.000	1.40E-5	0.015	0.640	0.064
CBG	50.000	2.48E-4	0.015	0.410	0.041
CBDV	50.000	6.50E-5	0.015	0.160	0.016
CBDA	50.000	1.00E-5	0.015	<LOQ	<LOQ
CBGA	50.000	8.00E-5	0.015	<LOQ	<LOQ
Delta-9 THC	50.000	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	50.000	3.20E-5	0.015	<LOQ	<LOQ
THCV	50.000	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD	50.000			9.900	0.990
Total Active THC	50.000			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected		Total Active CBD 0.990% 594.000 mg	
Total CBG 0.041% 24.600 mg		Total CBN 0.064% 38.400 mg	
Total Cannabinoids 1.184% 710.400 mg			


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per CO rule 6 CCR 1010-21. Failed - Analyte/microbe is at the level that equal or above the action limit per CO rule 6 CCR 1010-21. The results apply to the sample as received. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

Proper Rhino Packaging
2649 E Mulberry Unit 11
Fort Collins, Colorado 80526

Batch # 241002A
Batch Date: 2024-10-04
Extracted From: N/A

Test Reg State: Colorado

Order # PRO241004-020001
Order Date: 2024-10-04
Sample # AAGA211

Sampling Date: 2024-10-13
Lab Batch Date: 2024-10-13
Orig. Completion Date: 2024-10-18

Initial Gross Weight: 155.698 g

Number of Units: 2
Net Weight per Unit: 60000.000 mg

Pathogenic SE (qPCR) - CO

Specimen Weight: 25.100 g

Passed
SOP13.029
(qPCR)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
E.Coli	Passed	Salmonella	Passed




Microbiology (Petrifilm) - CO

Specimen Weight: 1006.200 mg

Passed
SOP13.003
(Petrifilm)

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Limit (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Limit (cfu/g)	Result (cfu/g)
Aerobic Bacteria	10	10000	<10	Yeast/Mold	10	1000	<10
Total Coliform	10	100	<10				


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

